

Cisco SFP-10G-BX-D-20 Compatible SFP+ Module - 10GBASE-BX - 10 GbE Gigabit Ethernet BiDi Fiber (SMF) (SFP-10G-BX-D-20-ST)

Product ID: SFP-10G-BX-D-20-ST



The SFP-10G-BX-D-20-ST is a Cisco SFP-10G-BX-D-20 compatible downstream fiber SFP+ transceiver which pairs with StarTech.com's SFP-10G-BX-U-20-ST. They are designed, programmed and tested to work with 10GBase-BX compatible Cisco switches and routers. The SFP+ transceiver module supports a maximum distance of up to 20 km (12.4 mi) and delivers dependable 10 GbE connectivity over fiber cabling.

## **Technical Specifications:**

• Wavelength: 1330nmTx/1270nmRx

• Maximum Data Transfer Rate: 10Gbps

• Type: Single Mode Fiber

• Connection Type: LC Connector

• Maximum Transfer Distance: 20 km (12.4 mi)

• Power Consumption: Low power consumption

• DDM: Yes

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP Cables, providing the convenience and reliability you need to ensure dependable network performance.

## Certifications, Reports and Compatibility



## **Applications**

## **Features**

- 100% CISCO SFP-10G-BX-D-20 COMPATIBLE: 10 Gigabit Ethernet BiDi Fiber Single Strand SFP+ works with Cisco switches like ASR9000, ASR1000, NCS5500, C3850, NCS540 and others
- INCREASE BANDWIDTH ON EXISTING INFRASTRUCTURE: This 10 Gigabit Ethernet bi-directional WDM SFP+ transceiver module sends and receives over a single strand of fiber optic cable instead of two
- TECHNICAL SPECS: 10GBASE-BX 10Gbps 10G Bi-Directional Downstream Single Mode (SMF) LC Connector 1330nmTx/1270nmRx Digital Diagnostic Monitoring (DDM) Distances up to 20km (12.4mi)
- LIFETIME WARRANTY: Backed by a lifetime warranty on the life of the module itself, not the life of your switch. Our modules won't void your OEM warranty and supported by our Tech Advisors 5/24
- PROGRAMMED & TESTED FOR COMPATIBILITY: Compatible with OEM routers and switches. MSA Compliant with DDM that reports the transceiver's status to most SNMP network management tools

• Hot-swappable with fiber-optic modules

| Hardware    |                               |                         |
|-------------|-------------------------------|-------------------------|
|             | Warranty                      | Lifetime                |
|             | Compatible Brand              | Cisco                   |
|             | Industry Standards            | IEEE 802.3ae 10GBASE-BX |
| Performance |                               |                         |
|             | Maximum Data Transfer<br>Rate | 10.31 Gbps              |
|             | Max Transfer Distance         | 20 km (12.4 mi)         |
|             | Туре                          | Single Mode             |
|             | Wavelength                    | 1330nmTx/1270nmRx       |
|             | Fiber Operating Mode          | Full-Duplex             |
|             | DDM                           | Yes                     |
|             | Compatible Networks           | 10 Gbps                 |
|             | MTBF                          | 646,156,559 hours       |



|                             | Power Consumption (In Watts) | < 1W             |
|-----------------------------|------------------------------|------------------|
| Physical<br>Characteristics |                              |                  |
|                             | Product Length               | 0.5 in [13.9 mm] |
|                             | Product Width                | 2.3 in [58.4 mm] |
|                             | Product Height               | 0.5 in [12.6 mm] |
|                             | Weight of Product            | 0.8 oz [24 g]    |
| Packaging<br>Information    |                              |                  |
|                             | Package Length               | 4.5 in [11.5 cm] |
|                             | Package Width                | 3.5 in [90 mm]   |
|                             | Package Height               | 1.2 in [31 mm]   |
|                             | Shipping (Package)<br>Weight | 1.8 oz [50 g]    |
| What's in the Box           |                              |                  |
|                             | Included in Package          | SFP+ Transceiver |

<sup>\*</sup>Product appearance and specifications are subject to change without notice.